


Supplementary material 7. Evaluation for publication bias of the anterior wall thickness of the rectum. Funnel plot analysis indicated no inverted shape when examining the anterior wall thickness of the rectum.



## References

1. Lakshminarayanan B, Kufeji D, Clayden G. A new ultrasound scoring system for assessing the severity of constipation in children. *Pediatr Surg Int* 2008;24:1379-84.
2. Diamanti A, Bracci F, Reale A, Crisogianni M, Pisani M, Castro M. Incidence, clinical presentation, and management of constipation in a pediatric ED. *Am J Emerg Med* 2010;28:189-94.
3. Burgers R, Visser M, de Jong TP, Di Lorenzo C, Benninga MA. Functional constipation among children with urology disorders. *Gastroenterology* 2011;140(5).
4. Mehra R, Sodhi KS, Saxena A, Thapa BR, Khandelwal N. Sonographic evaluation of gallbladder motility in children with chronic functional constipation. *Gut Liver* 2015;9:388-94.
5. Modin L, Walsted AM, Jakobsen MS. Identifying faecal impaction is important for ensuring the timely diagnosis of childhood functional constipation. *Acta Paediatr* 2015;104:838-42.
6. Pop DF, Ātar OT S, FarcĂu D. Transverse rectal diameter and thickness of the anterior wall of the rectum in children with and without functional constipation. *J Pediatr Gastroenterol Nutr* 2016:433.
7. Pop DF, Fufezan O, Farcau D. Rectoanal inhibitory reflex in children with functional constipation and large diameter of the rectum. *J Pediatr Gastroenterol Nutr* 2017.
8. Holley A. Saving constipated children - the transverse rectal diameter measurement. *Sonography* 2017;4.
9. Pop D, Tatar S, Fufezan O, Farcau D. Changes in the parameters of the rectoanal inhibitory reflex in children with functional constipation and large rectum. *Med Pharm Rep* 2021;94:73-8.
10. Tsvetkova LN, Kolisnichenko MM, Goryacheva OA. Ultrasound diagnostics of chronic constipation in children: results of a clinical study. *Pediatra* 2021;100:59-65.
11. Imanzadeh FH, Khalili A, Naghdi M, Hajipour E, Dara M, Sayyari N, et al. Transabdominal ultrasonographic measuring of Diameter of rectal ampulla as a less invasive replaced modality for digital rectal examination in children with functional constipation. *J Pediatr Gastroenterol Nutr* 2022;7(24).
12. Imanzadeh F, Hosseini A, Khalili M, Naghdi E, Hajipour M, Yazdanifard P, et al. Transabdominal ultrasound measurement of the diameter of rectal ampulla as a less invasive modality for digital rectal examination in children with functional constipation. *Iran J Pediatr* 2022;32(5).

13. Shapouri S, Matani R, Salahshoor A, Qorbani M, Hosseini A, Norouzi M, et al. Rectal measurements and their correlation with bowel habits: Evaluation by trans-abdominal ultrasound in children with functional constipation. *J Paediatr Child Health* 2022;58:1792-6.
14. Doğan G, Keçeli M, Yavuz S, Topçu A, Kasırğa E. Measurement of rectal diameter and anterior wall thickness by ultrasonography in children with chronic constipation. *Turk J Gastroenterol* 2022;33:1062-8.